



## User Guide

V 2.3

August 14, 2026

[www.seqrite.com](http://www.seqrite.com)

## Copyright and License Information

---

©2026 Quick Heal Technologies Limited. All Rights Reserved.

No part of this publication may be reproduced, duplicated, or modified in any form or incorporated into any information retrieval system, electronic or any other media or transmitted in any form without prior permission of Quick Heal Technologies Limited; having its registered office address at CTS No. 1442 to 1445 Thube Park, Shivaji Nagar, Pune – 411005.

Marketing, distribution or use by anyone barring the person authorized by Quick Heal Technologies Limited is liable to legal prosecution.

### Trademarks

Seqrite Malware Analysis Platform is a trademark of Quick Heal Technologies Limited. All third-party trademarks are owned by their respective third-party owners.

### License Terms

Access to and use of Seqrite Malware Analysis Platform is subject to end-user's acceptance of the Seqrite Master End-User License Agreement. The license terms can be found at [www.seqrite.com/eula](http://www.seqrite.com/eula).

### Release Date

August 14, 2026

# Contents

---

|                                                           |    |
|-----------------------------------------------------------|----|
| 1. Introduction.....                                      | 5  |
| 2. Cloud Deployment .....                                 | 6  |
| Accessing Seqrite Malware Analysis Platform .....         | 6  |
| 3. User Roles.....                                        | 8  |
| 4. Dashboard .....                                        | 9  |
| A. Seqrite Malware Analysis Platform (SMAP) Metrics ..... | 9  |
| B. Command Center .....                                   | 10 |
| User Profile .....                                        | 11 |
| 5. Analyze File.....                                      | 12 |
| Upload File for Analysis.....                             | 12 |
| File Analysis Report (Upload History).....                | 14 |
| Share Intel with Seqrite Threat Intel.....                | 15 |
| 6. Detection Rule .....                                   | 18 |
| Viewing Detection Rule Details.....                       | 18 |
| Filtering Detection Rule List.....                        | 19 |
| Creating a Rule.....                                      | 19 |
| Exporting Detection Rule .....                            | 19 |
| Duplicating Detection Rule .....                          | 19 |
| Deleting Detection Rule .....                             | 20 |
| Activating/Deactivating Detection Rule.....               | 20 |
| Triggering Deployment .....                               | 20 |
| Viewing Deployment History .....                          | 21 |
| 7. Notifications .....                                    | 22 |
| Viewing Notifications.....                                | 22 |
| Types of Notifications .....                              | 22 |
| 8. Analysis Report .....                                  | 23 |
| Analysis Tabs .....                                       | 24 |
| Static Attribute .....                                    | 24 |
| Detonation Detail.....                                    | 24 |
| Manual Analysis .....                                     | 26 |
| Detection Rules.....                                      | 26 |
| Comments.....                                             | 26 |
| Additional options.....                                   | 27 |
| 9. Free Text and Advanced Search .....                    | 28 |

|                                         |    |
|-----------------------------------------|----|
| Advanced Search .....                   | 28 |
| Applying Filters.....                   | 29 |
| 10.URL Lookup.....                      | 31 |
| 11.QR Code.....                         | 32 |
| Upload File for QR Code Analysis .....  | 32 |
| Filtering QR Code Analysis Reports..... | 33 |
| 12.Settings.....                        | 35 |
| Users .....                             | 35 |
| Adding New User .....                   | 35 |
| Adding Bulk Users .....                 | 35 |
| Editing a User .....                    | 36 |
| Deleting a User.....                    | 36 |
| User Details .....                      | 36 |
| License.....                            | 36 |
| License Details.....                    | 37 |
| Audit Trail.....                        | 37 |
| Tenant Settings .....                   | 38 |
| 13.Support.....                         | 40 |

## Introduction

---

In today's interconnected world, devices frequently communicate over the Internet, leading to frequent data exchanges. This constant flow makes data susceptible to viruses and malware. As data travels through various host computers, it can become vulnerable to infection from malicious programs. To ensure data safety, it is crucial to check whether files are clean or infected. Malicious programs can silently spread and compromise data and legitimate program files without immediate detection.

The Seqrite Malware Analysis Platform is designed to help users submit and analyze suspicious files for potential threats.

### **How does SEQRITE Malware Analysis Platform Work?**

The Seqrite Malware Analysis Platform is an automated system that can be deployed in the cloud. It allows users to upload suspicious files for scanning and analysis to detect malware and viruses. Users can search for previously analyzed files using checksums like MD5, SHA1, or SHA256, or through various search parameters and keywords. Additionally, users can review the category of URLs before visiting them.

The platform operates with multiple microservices that perform static, dynamic, and manual analyses of the uploaded files. Users can view a consolidated analysis summary to determine whether a file is clean or malicious. After analysis, reports are available in both PDF and JSON formats.

# Cloud Deployment

---

## Accessing Seqrite Malware Analysis Platform

If you are an existing user, follow the sign in process. If you are a new subscriber, follow the following three steps.

- A. Register with Seqrite Malware Analysis Platform/Sign-Up with Seqrite Malware Analysis Platform
- B. Set Password
- C. Signing-In to Seqrite Malware Analysis Platform

### A. Register with Seqrite Malware Analysis Platform/Sign-Up with Seqrite Malware Analysis Platform

To access Seqrite Malware Analysis Platform, you must first register using a product key. To register with Seqrite Malware Analysis Platform, follow these steps:

1. Enter the URL **<https://csm.seqrite.com/csm/signup/smap>** in the browser. The **Sign-Up** page is displayed.
2. Click **Register Here**.  
**Register for Centralized Security Management** page is displayed.
3. Select the **Malware Analysis Platform (MAP) Product Key** checkbox, enter the product key, and click **Next**.
4. Enter the **Administrator Details** like First Name, Last Name, Business Email Address, Mobile No., Job Role, and click **Next**.
5. Enter the Company Details like, Company Name, Industry, Company Size, Country, State, City, Preferred Product Language, and click **Next**.
6. If the email address is incorrect, click **Click here to edit** to update the email address and click **Confirm**.

### B. Set Password

Once you register successfully, you will receive an email with the activation link to set password. To set a password, follow these steps:

1. Click the activation link given in the email.
2. Enter password and click **Set Password**.  
The **Sign In** page is displayed.

### D. Signing In

1. Enter the email ID, password and click **Sign In**.  
The **Two- factor Authentication** page is displayed.
2. Enter the OTP you have received on your registered email address or registered phone number and click **Verify**.  
The **Seqrite Centralized Security Management License Agreement** page is displayed.

3. Agree with the terms of **SEQRITE END-USER LICENSE AGREEMENT** and click. **Yes, I Agree**  
The Seqrite Centralized Security Management dashboard is displayed.
4. Click **SMAP** on the left pane.  
You will land on the home page that is on the **Seqrite Malware Analysis Platform** dashboard.

## User Roles

---

In Seqrite Malware Analysis Platform, the user roles assigned to the users can be of the following:

1. Organization Analyst
2. Organization Admin
3. Organization Executive
4. Threat Researcher

The following table displays the features available for the users as per the assigned role.

| Feature                          | Org Analyst | Org Admin | Org Executive | Threat Researcher |
|----------------------------------|-------------|-----------|---------------|-------------------|
| Dashboard                        | Yes         | Yes       | Yes           | Yes               |
| File Upload (Single File or Zip) | Yes         | Yes       | No            | No                |
| URL Reputation Lookup            | Yes         | Yes       | Yes           | Yes               |
| Advanced Free Text Search        | Yes         | Yes       | Yes           | Yes               |
| Download Report                  | Yes         | Yes       | Yes           | Yes               |
| Add Tags                         | Yes         | Yes       | No            | Yes               |
| Notifications                    | Yes         | Yes       | Yes           | Yes               |
| User Management                  | No          | Yes       | No            | No                |
| Manual Analysis                  | No          | No        | No            | Yes               |


# Dashboard

Post login, the dashboard is the default landing page for all the users. On the dashboard the following default metrics are provided:

- A. Seqrite Malware Analysis Platform (SMAP) Metrics
- B. Command Center

## A. Seqrite Malware Analysis Platform (SMAP) Metrics

Seqrite Malware Analysis Platform metrics are used to evaluate and classify malicious samples. They help to understand malware behavior, detect threats, and improve security.




The dashboard shows the following SMAP metrics:

| Metrics                                                      | Description                                                                                                    |
|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Quick statistics of analyzed file                            | It shows the bifurcation of analyzed files.                                                                    |
| Samples Submitted vs Detection                               | It shows the total number of files submitted and detection.                                                    |
| Top malware categories                                       | It shows the top malware categories along with their respective count.                                         |
| Top Malicious File Types                                     | It shows the top malicious files, sample submitted to analyze, number of detections, and detection percentage. |
| Submission Methods and Top sources contributing to detection | It shows the number of manual and auto submission of files, and top sources contributing to detection.         |

| Metrics                           | Description                                                                                           |
|-----------------------------------|-------------------------------------------------------------------------------------------------------|
| Top Malware Families Detected     | It shows the top malware families along with their name, category, detection rate and detection date. |
| Trending Tags in Malware Analysis | It shows the top trending tags.                                                                       |

## B. Command Center

Command Center projects insights from Seqrite's telemetry, which is gathered from our 10 million endpoints.



## Accessing Command Center


To access and view the command center, click the **Seqrite Command Center** on top right of the dashboard. The following are the key metrics on the command center:

| Metrics                                          | Description                                                                                                                                    |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Endpoints (Total active and Protected endpoints) | It shows the number of devices where Quick Heal antivirus is installed and among them how many endpoints were recently protected from Threats. |
| OS wise protected end points                     | It shows operating system wise protected end points numbers.                                                                                   |
| Top targeted states/cities                       | It shows the top 10 targeted cities and states by the number of detections.                                                                    |
| Top targeted industries                          | It shows the top 10 target industries by number of detections.                                                                                 |
| Top Attacking Remote IPs                         | It shows the number of malicious active remote Ips.                                                                                            |
| Top Ransomware families                          | It shows the top 10 active ransomware families.                                                                                                |

| Metrics             | Description                                                  |
|---------------------|--------------------------------------------------------------|
| Top Vulnerabilities | It shows the top 10 detected vulnerabilities.                |
| Threat Map          | It is a visual representation of cyber threats across India. |

## User Profile

The User Profile section on the upper-right corner of the dashboard shows the name of the registered user.



When you click the logged-in username, the options displayed are, screen appearance that is Dark Theme and Light Theme, Role, API Key (You can use the above API Key to submit files and retrieve verdicts through the SMAP APIs), Support, list of the open-source tools/library and licenses under About, and Logout.

# Analyze File

For analyzing files, click **Analyze File** on the left pane. This page displays the following options:

- Upload file for analysis.
- File analysis report that is historical uploads in tabular format with sorting options. Ability to search through the upload history using filters such as days, status, and source of submission.
- Advanced Global Search using free text search and predefined filters.

The screenshot shows the 'Analyze File' page of the Seqrite Malware Analysis Platform. The page has a header with the Seqrite logo and 'Malware Analysis Platform'. Below the header, there's a search bar and a notification bell. The main content area is titled 'Analyze File' and contains a section 'Upload File For Analysis'. This section has a 'Select Stage' dropdown with options: Smart Analysis (selected), Preliminary Analysis, Detonation, and Manual Analysis. Below this is an 'Upload File\*' section with a large dashed box containing an upload icon and the text 'Drop files to instantly upload Or Browse'. To the right of this is a 'Source\*' dropdown menu with 'Select Source' as the placeholder. Below the source dropdown is a 'Priority\*' section with three buttons: Low (selected), Medium, and High. At the bottom right is a 'Comments:' section with a text area labeled 'Type your comments here'. Below the upload box, there's a note about file size and type: 'Maximum Size: 100 MB, Maximum files: 10 in compressed folder. Supported file types'. At the very bottom, there's a 'Restricted Access' toggle switch.

## Upload File for Analysis

You can upload a single file or ZIP file, which needs to be scanned by Seqrite Malware Analysis Platform and then view the generated analysis report. The file size must be less than 100 MB. Threats if any, are detected by various scanners and highlighted in the generated consolidated report. You can also upload password protected ZIP files for analysis.

The Seqrite Malware Analysis platform supports coverage for Windows, Linux and Android operating systems.

After analysis, if SMAP identifies a file as malicious or ransomware, you can choose to share it as intel (IoC) with the Seqrite Threat Intel (STI) through SMAP - STI integration. To learn more about sharing intel with STI refer to, [Share Intel with Seqrite Threat Intel](#).

**Note:** SMAP - STI integration is an add-on feature and requires activation. Please contact support team to enable it.

Seqrite Malware Analysis Platform supports the following file types for analysis:

| Category         | File Type                                                                                                                                |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Office Documents | .doc, .docx, .docm, .potx, .potm, .rtf, .xls, .xlsx, .xlsm, .xlsb, .ppt, .pptm, .pptx, .pps, .ppsx, .ppsm, .ppam, .odt, .ods, .odp, .CSV |
| Scripts          | .js, .py, .ps1, .bat, .vbs, .hta, .sh, .vba, .vbe, .vb, .reg, .python                                                                    |
| Executables      | .exe, .dll, .msi, .jar, .bat, .ps1, .vbs, .hta, .sh, .lnk, .elf                                                                          |
| Archives         | .zip, .cab, .rar, .tgz, .gz, .xar, .gzip                                                                                                 |
| Web Content      | .html, .xml, .swf, .js, .htm, .url                                                                                                       |
| Linux Executable | .elf, .sh, .py                                                                                                                           |
| Email Files      | .eml, .msg                                                                                                                               |
| PDF & Portable   | .pdf, .txt, .chm, .fpx, .asf, .hwp                                                                                                       |
| Android          | .apk                                                                                                                                     |


**Note:** You can upload zip files with max 10 files compressed within them.

To upload and submit the file for analysis, follow these steps:

1. Log in to the Seqrite Malware Analysis Platform and click the **Analyze File** on left pane.
2. On the **Analyze File** page, navigate to **Upload File for Analysis** and click **Browse**.
3. Select the file that you want to submit for analysis.  
**Note:** To analyze a password-protected ZIP file, you must provide the file's password when uploading it.
4. Select **Stage** that is Smart Analysis, Preliminary Analysis, Detonation or Manual Analysis.
5. Select any predefined source from the **Source** list or select **Others**.
6. Select **Restricted Access**. You can restrict file access to users other than admin, if the file is of a sensitive nature.
7. Select Priority that is High, Medium or Low depending upon how fast you want to analyze the file.
8. Add **Comments** for reference and click **Analyze**.  
Once the file is submitted for analysis, the progress and status will be displayed in the list along with the submitted time stamp.
9. Click **View** to view the analysis of the submitted file. See Analysis Report for more information.

## File Analysis Report (Upload History)

Seqrite Malware Analysis Platform displays the upload history for submitted files. It gives detailed information about uploaded files and helps to determine if it is malicious. You can filter the details by the Stage, Status, Verdict, Upload Period.



The screenshot shows the Seqrite Malware Analysis Platform interface. At the top, there's a header with the Seqrite logo and 'Malware Analysis Platform'. Below the header, there's a search bar and a user profile dropdown. The main section is titled 'File Analysis Reports' and includes a toggle for 'Show only my files'. On the right, there are buttons for 'Cancel', 'Analyse', and 'Export'. Below this, a table displays the upload history. The table has columns for File Name, Parent Folder, Submitted On, Uploaded By, Stage, Status, Verdict, and Action. The table shows five rows of data, including files with stages like 'Detonation' and 'Preliminary Analysis', and verdicts like 'Malware' and 'Ransomware'. A summary at the bottom right indicates 'Total 16 Analyzed'.

| FILE NAME                | PARENT FOLDER   | SUBMITTED ON        | UPLOADED BY     | STAGE                | STATUS      | VERDICT    | ACTION               |
|--------------------------|-----------------|---------------------|-----------------|----------------------|-------------|------------|----------------------|
| 8f75e57f9ba67892cf7c7... | -               | 2025-12-16 18:32:18 | Nikhil Navlakha | Detonation           | Completed   | Malware    | <a href="#">View</a> |
| 5ca5b4e65112a5b2d98f...  | -               | 2025-12-16 18:31:58 | Nikhil Navlakha | Detonation           | Completed   | Malware    | <a href="#">View</a> |
| 98a5f66364204f3c2033c... | 23657902098.zip | 2025-12-16 18:18:44 | Nikhil Navlakha | Preliminary Analysis | In Progress | -          | <a href="#">View</a> |
| 396a2f2dd09c936e93d2...  | -               | 2025-12-16 18:06:11 | Nikhil Navlakha | Detonation           | Completed   | Ransomware | <a href="#">View</a> |
| ac94e7a9c0058c2f7a328... | -               | 2025-12-16 18:05:55 | Nikhil Navlakha | Detonation           | Completed   | Ransomware | <a href="#">View</a> |

## Stage

You can filter the history table by stage that is, Smart Analysis, Preliminary Analysis, Detonation, or Manual Analysis.

## Status

You can filter the history table by Status. The Status Information for the uploaded files can be one of the following:

| Sr. No. | Status      | Description                     |
|---------|-------------|---------------------------------|
| 1.      | All         | To view all the uploaded files. |
| 2.      | In Queue    | Waiting to be processed.        |
| 3.      | Failed      | Analysis has failed.            |
| 4.      | In Progress | File analysis in progress.      |
| 5.      | Completed   | Analysis is completed on time.  |

The history table displays the status of the files being analyzed along with the following details:

- File Name
- Parent File Name
- Submitted On
- Uploaded By
- Stage

- Status: In Progress, In Queue, Completed
- Verdict

You can view the report for the uploaded file by clicking **View**.

## Verdict

You can filter the history table by Verdict such as Clean, Malware, Ransomware, and Suspicious.

## Upload Period

The details of the uploaded files can be viewed for the following intervals:

- 1 Day
- 7 Days
- 1 Month
- 3 Months

## Share Intel with Seqrite Threat Intel

After analysis, if SMAP identifies a file as malicious or ransomware, you can share it as intel (IoC) with the Seqrite Threat Intel (STI) through SMAP - STI integration.

**Note:** Share Intel is available only for users who have subscribed for Seqrite Threat Intel.


### Pre-requisite for Sharing Intel with Seqrite Threat Intel

Before sharing intel with Seqrite Threat Intel, you must do threat intel configuration in **Tenant Settings**. To know more about **Threat Intel Configuration**, refer to [Tenant Setting](#).


### Share Intel with Seqrite Threat Intel

To share a file as an intel, follow these steps:

1. On the **Analyze File** page, scroll down to **File Analysis Reports**.
2. Choose a file you want to share as intel and click .



### 3. Click **Proceed to Share**.



You will be redirected to the Seqrite Threat Intel page that is on **Submissions By Users** section to submit this intel and corresponding details.

### Add New Intel

1. Enter **Incident Basic Details**, that are Title, Incident Date, Intel Category and Description, and click **Add IOC Manually**.
2. Enter IOC details that are, IOC Type, IOC Classification, IOC Value, Severity, Device Type/Source, Adversary Name, Adversary Type, Tag, and click **Add**.
3. If you want to review the intel before submission, click **Save** else click **Submit**.



# Detection Rule

The Detection Rules section in SMAP allows users to search, create, run, and export YARA rules, as well as view related analysis reports. It provides a central location for managing YARA rules and reviewing their results.

The screenshot shows the 'Detection Rules' section of the Seqrite Malware Analysis Platform. At the top, there are tabs for 'Custom Rules' and 'Deployment History'. Below the tabs, there are summary statistics: TOTAL 3, ACTIVE 2/10, INACTIVE 0, DRAFT 0, and DELETED 1. A 'Trigger deployment' button and a '+ Create Rule' button are also present. Below the statistics, there is a search bar and a table listing the rules. The table has columns for Rule Name, Confidence, Malware Category, Malware Family, Tags, Created By, and Status. Three rules are listed: 'Detect\_Printable\_Strings' (High confidence, Backdoor category, CobaltStrike family, macro tag, Active status), 'SuspiciousExecutable' (Medium confidence, Dropper category, LokiBot family, dropper tag, Active status), and 'Suspicious\_PowerShell' (Medium confidence, Dropper category, CobaltStrike family, no tag, Deleted status).

| RULE NAME                | CONFIDENCE | MALWARE CATEGORY | MALWARE FAMILY | TAGS    | CREATED BY         | STATUS  |
|--------------------------|------------|------------------|----------------|---------|--------------------|---------|
| Detect_Printable_Strings | High       | Backdoor         | CobaltStrike   | macro   | Debasish Mohapatra | Active  |
| SuspiciousExecutable     | Medium     | Dropper          | LokiBot        | dropper | Debasish Mohapatra | Active  |
| Suspicious_PowerShell    | Medium     | Dropper          | CobaltStrike   | -       | Debasish Mohapatra | Deleted |

## Key Capabilities

The YARA feature enables **org analysts** and **org admin** to create, manage, and apply detection rules during file analysis. Org analysts or org admin can create custom YARA rules by manually adding, uploading, or editing rule definitions. In addition, users can access the Seqrite's internal YARA rule repository to leverage standardized detection rules.

All configured YARA rules are automatically applied to new preliminary file analyses, ensuring consistent rule execution across analyzed files.

Users can manage rule availability through Active and Inactive status controls. By default, a maximum of 10 user-created rules can be active at the same time. Permissions for creating, editing, and viewing rules are based on the user's role and license.

Each detection entry includes the Rule Name, Confidence Level (High, Medium, or Low), Category, and Tags. YARA detection results are also included in the generated HTML analysis report, providing visibility into all matching rule detections.

## Viewing Detection Rule Details

To view detection rules, follow these steps:

1. On the Seqrite Malware Analysis Platform, select **Detection Rules**.  
On the Detection Rule page, under Custom Rule tab, you will see a list of custom YARA detection rules with details such as, Rule Name, Confidence (Low, Medium,

High), Malware Category, Malware Family, Tags, Created By, and Status (Active/Inactive).

2. To view the details of a particular YARA detection rule, select the rule and click  icon.

The View Details page displays the details, Rule Name, Description, Confidence level, Classification, Status, Category, Malware Family, Specify Family, Tags, and Rule Definition. You can also view the files to which the rule applies.

## Filtering Detection Rule List

You can filter the detection rule list based on Confidence, Malware Category and Malware Family.

To filter the detection rule list, follow these steps:

1. On the Seqrite Malware Analysis Platform, select **Detection Rules**.
2. Click the  icon.
3. Select filters and click **Apply**.

## Creating a Rule

To create a rule, follow these steps:

1. On the Seqrite Malware Analysis Platform, select **Detection Rules**.
2. Click **Create Rule**.
3. To activate the rule, switch the toggle to **Active**.
4. Enter rule details and rule definition and click **Create Rule**.

**Note:** The Rule Name must exactly match the rule name specified in the Rule Definition.

## Exporting Detection Rule

1. To export detection rule, select the rule you want to export and click  icon.
2. Click **Export** and the rule gets exported in. YARA format.

## Duplicating Detection Rule

1. To duplicate the existing YARA detection rule, select the rule you want to duplicate and click  icon.
2. Click **Duplicate Rule**.  
The **Rule Details** page appears. You can edit rule details.
3. Click **Duplicate Rule**.

## Deleting Detection Rule

1. To delete a detection rule, select the rule you want to delete and click  icon.
2. Click **Delete Rule**.  
The rule gets deleted.

**Note:** A detection rule cannot be deleted if it is associated with one or more detections.

## Activating/Deactivating Detection Rule

You can activate or deactivate a rule at any time after it is created. Set rules to **Active** if they should be included in the deployment and set them to **Inactive** if they should be excluded.

To activate/deactivate a rule, follow these steps:

1. Select the rule and click  icon.
2. Turn the **Status** toggle **On** to activate the rule or **Off** to deactivate it.

**Note:**

- **Active rules** are included in the YARA bundle when deployment is triggered.
- **Inactive rules** are not included in the YARA bundle and do not participate in deployment.

## Triggering Deployment

On clicking Trigger Deployment, all currently active YARA rules are selected automatically for YARA bundle creation. You do not need to select individual rules during deployment. Once the YARA bundle is successfully generated and deployed, it becomes available as a **scan engine** in the back end. The deployed rules are then used to analyze uploaded files. If an uploaded file matches the conditions defined in **any deployed rule**, the file is marked as **Detected** and the matching rule contributes to the detection verdict. After a YARA detection rule is created, you can deploy the rule and make it available for detection. Rule deployment adds the selected YARA detection rules to a YARA bundle. Once deployed, the rules are used to analyze uploaded files. If an uploaded file matches the conditions defined in a deployed rule, the rule generates detection.

**Note:** Only **admin** can deploy YARA detection rules.

To trigger the deployment, follow these steps:


1. On the Seqrite Malware Analysis Platform, select **Detection Rules**.
2. Click **Trigger Deployment**.  
All active YARA rules are included in the YARA bundle creation process. After the bundle is generated and deployed, it is available as a scan engine for file analysis.

## Viewing Deployment History

On the **Detection Rule** page, under the **Deployment History** tab, you can view a list of all deployed bundles.

# Notifications

Seqrite Malware Analysis Platform displays notifications when you click the Notification icon (bell icon) on the top right.



Notifications inform you about all the actions taken on the Seqrite Malware Analysis Platform. The number on the notification icon shows the count of newly received notifications.

On clicking the notification icon, a notification box appears. The notification dialog box shows a few of the newly received notifications with the description and time when the notification was received.

## Viewing Notifications

To view a notification, follow these steps:

- Log in to the Seqrite Malware Analysis Platform and click the notification icon (bell icon) on the top right.  
A list of notifications appears.

## Types of Notifications

- I. Analysis notification  
After the user uploads a file for analysis, they will receive this notification updating them about the status of the uploaded file.
- II. Quota usage notification  
The admin will receive this notification informing them about their file upload quota usage. It provides details about their current consumption.

# Analysis Report

After you upload a file for analysis through the Search tab on the left pane, an analysis report is generated for the uploaded file and searches hashes that are already present in the database. Various tabs in the report display the corresponding analysis data.

The screenshot shows the 'Analyze File' section of the Seqrite Malware Analysis Platform. It features a 'Upload File For Analysis' header. Below this, there are four radio buttons for 'Select Stage': 'Smart Analysis' (selected), 'Preliminary Analysis', 'Detonation', and 'Manual Analysis'. A large dashed box labeled 'Upload File\*' contains an upload icon and the text 'Drop files to instantly upload' or 'Browse'. To the right, there is a 'Source\*' dropdown menu, a 'Priority\*' section with 'Low', 'Medium', and 'High' buttons, and a 'Comments:' text area. At the bottom right, there is a 'Restricted Access' toggle switch. A disclaimer at the bottom states: 'By submitting a file to Seqrite while using Seqrite Malware Analysis Platform, you are agreeing to our End-User License Agreement, Privacy Policy and you further agree that: 1. You will not submit any personally identifiable or other sensitive information to Seqrite 2. It is not the responsibility of Seqrite to verify the contents of your submission'.

The following table provides the file details displayed on the analysis report page.

| Item             | Description                                                              |
|------------------|--------------------------------------------------------------------------|
| File Name        | Displays the submitted file name.                                        |
| Hash             | Displays the submitted file hash.                                        |
| File Type        | Displays the file type.                                                  |
| Verdict          | Displays analysis verdict such as Clean, Malware, Ransomware, Suspicious |
| Malware Category | Displays the malware category.                                           |
| Malware Family   | Displays the malware family.                                             |
| Submission Time  | Displays the time stamp when the file was submitted for analysis.        |
| File Size        | Displays the uploaded file size.                                         |
| Restrict Access  | Public or Private                                                        |
| Tags             | Displays the system tags.                                                |

## Add Tags

Detonation layer may automatically assign Tags during analysis. Threat Researchers has the provision to add Tags while conducting Manual Analysis. Additionally, Analyst or Threat researchers can add the following categories during any stage of analysis:

- Affected OS/Platforms

- Attack Type
- Attack Vector
- Indicators of compromise
- Targeted Attacks
- TTPs

Analyst or threat researchers can add tags under these categories by clicking the **Manage Tags >Select Category>Enter tag name> +Add Tag>Save.**

**Note:** It is mandatory to select the category while adding a tag name.

The added tags are visible under **Added Tags**. These tags help future researchers identify the file by these tagged attributes. Tags can also be removed just by click cross **X** sign next to the tag name and such removed tags are visible under **Removed Tags**.

## Analysis Tabs

The visibility of some tabs is based on the availability of the data. The ability to add comments depends on your access permissions. You can view the following analysis tabs.

### Static Attribute

Malware analysis is incomplete without the analysis of files attributes. Threat researchers use various tools to collect attributes of submitted files. Seqrite Malware Analysis Platform collects and processes the data from these tools and generates the analysis report for the submitted sample.

The static attributes show the following details for the file:

#### Basic Properties

- MD5, SHA-1 values
- Type of files and file properties.
- Section information (e.g., Entropy value) of the file
- File version number, timestamp information, and digital signature details including certificate chains
- File content in string format
- File content in Hex format

### Detonation Detail

Detonation detail will be available when the user has an option for Detonation analysis.

The following table shows the sections and detonation details displayed on the page.

| Sections                                             | Description                                                                                                                                                                                                                         |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MITRE ATT&CK Matrix                                  | The MITRE ATT&CK section maps observed sandbox behaviors to known attacker Tactics, Techniques, and Procedures (TTPs). Each TTP represents a specific attacker action aligned with real-world attack patterns documented by MITRE.  |
| Verdict                                              | The final assessment of the sample, typically classified as Clean, Unknown, suspicious, Malware or Ransomware based on the combined results of the analysis.                                                                        |
| Sample Overview                                      | A high-level summary of the sample, including its file type, size, hash values (MD5, SHA-1, SHA-256), submission date, and any initial observations.                                                                                |
| Verdicts from Various Subsystems of Detonation Layer | Individual verdicts from different analysis engines or layers within the sandbox, such as static analysis, behavioral analysis, and network analysis.                                                                               |
| Behavior Activities                                  | Detailed description of the sample's behavior during execution, including actions like file manipulation, process creation, network activity, etc.                                                                                  |
| Process Tree                                         | A hierarchical representation of all processes created or modified by the sample, showing parent-child relationships and the flow of execution.                                                                                     |
| Process Created                                      | List of processes that were initiated by the sample during execution, along with their associated metadata (e.g., process ID, command line arguments).                                                                              |
| Files Created                                        | Information on any files that the sample created or modified, including file paths, names, and types, along with their hash values.                                                                                                 |
| Registry Created                                     | Details of any Windows registry entries created or modified by the sample, including paths and associated values.                                                                                                                   |
| Registry Keys Sets                                   | A list of specific registry keys that were modified or set by the sample, potentially indicating persistence mechanisms or configuration changes.                                                                                   |
| Indicators of Compromise (IOC)                       | This section will be visible only for files detected as malicious and ransomware. IOC details section shows indicator type, indicator name reputation (Verdict) and associated relationships that have been identified for the IOC. |
| DNS Requests                                         | A record of all DNS queries made by the sample, including domain names, query types, and resolved IP addresses.                                                                                                                     |
| IP Connections                                       | Information on outbound or inbound network connections initiated by the sample, including IP addresses, ports, and protocols.                                                                                                       |
| Screenshots                                          | Captured screenshots of the virtual environment during the sample's execution, providing visual evidence of the sample's activity.                                                                                                  |

| Sections                                | Description                                                                 |
|-----------------------------------------|-----------------------------------------------------------------------------|
| <b>Detonation Details for APK Files</b> |                                                                             |
| Static File Info                        | Basic APK metadata such as file size, hashes, and file type.                |
| Android Info: Embedded Urls             | URLs hard coded inside the APK that the app may contact.                    |
| Android Info: Embedded Domains          | Hard-coded domains referenced by the application for network communication. |
| Package Name                            | Unique identifier of the Android application.                               |
| Android Info: Permissions               | Device permissions requested by the application.                            |
| Android Info: Activities                | User-facing screens and entry points of the app.                            |
| Android Info: Services                  | Background components that run without user interaction.                    |
| Android Info: Receivers                 | Components that listen to system or app events.                             |
| Android Info: Providers                 | Components that expose or manage application data.                          |
| File List                               | All files and resources are packaged inside the APK.                        |

## Manual Analysis

Manual Analysis detail will be available when the file is uploaded for Manual analysis.

## Detection Rules

The **Detection Rule** section displays both **system rules** and **tenant rules**:

- **System rules** are predefined rules provided by the system and shared across all tenants.
- **Tenant rules** are custom rules created by an **org admin** or **org analyst** for a specific tenant and apply only to that tenant.

## Comments

You can add any comments.

## Additional options

The following table describes the options that are available on the analysis report page.


| Sr. No. | Icon Name                      | Description                                                                                                                          | Images                                                                             |
|---------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 1       | <b>Download</b>                | You can download reports in PDF, and JSON as required.                                                                               |  |
| 2       | <b>Send to Detonation</b>      | You can send samples to the detonation stage for detailed analysis if sample was previously submitted only for Preliminary Analysis. |  |
| 3       | <b>Send to Manual Analysis</b> | You can send samples for manual analysis if not satisfied with the detailed Detonation analysis report.                              |  |

**Note:** Large reports may take time to download.

## Free Text and Advanced Search

You can search using any report content of a file. All the reports pertaining to this search will be fetched and displayed on the table.

If a file hash submitted does not exist in the Seqrite Malware Analysis Platform, then **No Record available** will be displayed.



The screenshot shows the Seqrite Malware Analysis Platform interface. At the top, there is a search bar with the placeholder text "File Hash (MD5, SHA1, SHA256) OR ANY TEXT". To the right of the search bar are buttons for "Submit" and "Advanced +". Below the search bar, the text "Total 65 Analyzed" is displayed. A table lists the analyzed files with columns: FILE NAME, PARENT FOLDER, SUBMITTED ON, UPLOADED BY, STAGE, STATUS, VERDICT, and ACTION. The table contains 8 rows of data, all showing files uploaded by "Afsha Pathan" in the "Preliminary Analysis" stage, with a status of "In Progress" and a verdict of "-".

| FILE NAME             | PARENT FOLDER | SUBMITTED ON        | UPLOADED BY  | STAGE                | STATUS      | VERDICT | ACTION |
|-----------------------|---------------|---------------------|--------------|----------------------|-------------|---------|--------|
| b9c49d3a9035453180... | -             | 2026-01-16 12:38:22 | Afsha Pathan | Preliminary Analysis | In Progress | -       |        |
| VlU6QAigezaQmeilU.txt | -             | 2026-01-16 12:35:38 | Afsha Pathan | Preliminary Analysis | In Progress | -       |        |
| EfoZDvodifzkcATC.txt  | -             | 2026-01-16 12:34:02 | Afsha Pathan | Preliminary Analysis | In Progress | -       |        |
| oNMdbISVf4f0FhuY.txt  | -             | 2026-01-16 12:32:27 | Afsha Pathan | Preliminary Analysis | In Progress | -       |        |
| ReggHjp3TD1Fcfe.txt   | -             | 2026-01-16 12:30:53 | Afsha Pathan | Preliminary Analysis | In Progress | -       |        |
| nHnmtLmdlWzoFaFr.txt  | -             | 2026-01-16 12:29:19 | Afsha Pathan | Preliminary Analysis | In Progress | -       |        |
| EpprGt8FEen3muT8M.txt | -             | 2026-01-16 12:27:44 | Afsha Pathan | Preliminary Analysis | In Progress | -       |        |
| Qxnx3yYX8JrkTOjn.txt  | -             | 2026-01-16 12:26:10 | Afsha Pathan | Preliminary Analysis | In Progress | -       |        |

## Advanced Search

Additionally, you can further refine your search by adding more search criteria, by selecting one or more filter options to search for the file or hash in the Seqrite Malware Analysis Platform database. The following table gives detail about the filters:

| Features  | Description                                                                                                                                                                                                                                                                                 |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| All       | Use the following filters as required: <ul style="list-style-type: none"><li>• Total Submission</li><li>• File Size</li><li>• Tag</li><li>• Others</li><li>• File Type</li></ul>                                                                                                            |
| File Type | Search the file for 32-bit or 64-bit machine type. <ul style="list-style-type: none"><li>• File type includes Executable, Excel, Word, Power point, PDF, Image, and Compressed.</li><li>• Machine types include Executable, Excel, Word, Power point, PDF, Image, and Compressed.</li></ul> |

| Features               | Description                                                                                                                                                                                                           |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| File Size (Bytes)      | <ul style="list-style-type: none"> <li>• File Size equal to</li> <li>• File Size Greater than</li> <li>• File Size Less than</li> </ul>                                                                               |
| Submission Date & Time | You can search for the file in the database, by specifying the date range (From & To).                                                                                                                                |
| Tag                    | <ul style="list-style-type: none"> <li>• System Tags: System-generated tags.</li> <li>• User Tags: User generated customized tags.</li> </ul>                                                                         |
| Verdict                | You can search the analyzed files by their respective verdicts, that are, <ul style="list-style-type: none"> <li>• Clean</li> <li>• Unknown</li> <li>• Suspicious</li> <li>• Malware</li> <li>• Ransomware</li> </ul> |
| Malware Family         | You can search by Malware families.                                                                                                                                                                                   |
| Malware Category       | You can search by Malware Categories.                                                                                                                                                                                 |
| Severity               | You can search by Analyzed file's severity that is, <ul style="list-style-type: none"> <li>• No Threat</li> <li>• Low</li> <li>• Medium</li> <li>• High</li> <li>• Critical</li> </ul>                                |

## Applying Filters

To apply filters, follow these steps:


1. Click **Advanced+**.
2. On the Advanced Filter dialog box, select one or more filters as required, enter the required value in the text box and click **Apply**.  
For example:
  - i. If you click File Size, further conditions are displayed as follows: File Size equal to, File Size Greater than, File Size Less than.
  - ii. Select the required condition and enter the corresponding value in the text box.
  - iii. Click **Add+**.
3. The selected filter with value is displayed in the SELECTED FILTERS section. For example: File Size is 10 MB, File Type is Word.
4. Select further filters with the conditions. Refer to the table below for available filters.
5. Click **Apply**.  
The report is displayed with related parameters that are, file name, hash, size, file

upload, total submission and file type.

6. Click the view > icon to view the analysis report.

# URL Lookup

URL Lookup is a process of examining a URL to determine its safety by scanning for threats like malware, phishing, or suspicious activity. It helps to identify and block harmful URLs.



The screenshot shows the Seqrite Malware Analysis Platform interface. At the top, there's a header with the Seqrite logo, the text 'Malware Analysis Platform', and a search bar for 'File Hash (MD5, SHA1, SHA256) OR ANY TEXT'. To the right of the search bar are buttons for 'Submit' and 'Advanced +', and a user profile section for 'Debasish Mohapatra' with a 'DM' button. Below the header, the main section is titled 'URL Lookup'. It features a large input field with the placeholder text 'Enter URL or Browse file'. To the right of this field are buttons for 'Browse', 'Analyze', and 'Export'. Below the input field, there's a disclaimer: 'By submitting URL on Seqrite Malware Analysis Platform, you are agreeing to the [End User License Agreement](#) and [Privacy Policy](#) and you further agree that: (i) You will not submit any personally identifiable or other sensitive information. (ii) It is not the responsibility of Seqrite to verify the contents of Your submission.' At the bottom of the main section, there's a large, faint watermark of a document icon.

To analyze the URL, follow these steps:


1. On the left pane, select **URL Lookup**.
2. Enter the URL and click **Analyze**.

The submitted URL is checked against the Seqrite's database, and the corresponding categories are displayed. If the URL is safe, the verdict **Clean** is displayed else, it is marked as **Malicious** or **Unknown**.

**Note:** This is an Add-on service.

## QR Code

QR Code analysis within the Seqrite Malware Analysis Platform (SMAP) supports to detect malicious content embedded in QR codes. This feature will allow analysts to scan QR code data for threats such as phishing URLs, credential theft attempts, or links to malware-hosting sites.



You can upload a file containing a QR code for inspection. The platform will automatically decode the QR code and extract the embedded data (such as URLs, text, Email). When a URL contains an attached payload (such as .doc, .docx, .pdf, .txt,) it is analyzed using both static and dynamic engines, whereas URLs without payloads are evaluated through threat intelligence lookups.

In both cases the platform provides URL verdict (Malicious, Unknown and clean) and Payload verdict (Ransomware, Malware, Suspicious, Unknown, and clean) along with contextual details to support further investigation.

**Note:** Upload a file with a single QR code for analysis.

## Upload File for QR Code Analysis

To upload the file for QR code analysis, follow these steps:

1. Log in to the Seqrite Malware Analysis Platform and click **QR Code** on left pane.
2. On the **QR Code** page, upload or drop a file and click **Analyze**.


**Note:** Supported file types for QR code analysis are **.jpg, .png, .bmp, and .pdf**.

The uploaded file is visible in list of QR Code Analysis Report with details: file name, submitted on, URL, URL verdict (Unknown, Malicious or Clean), payload status, and payload verdict.

**Note:** The payload information (data extracted from the QR code) will be visible once the analysis process begins.

| SECURE Malware Analysis Platform |                     |                            |             |                  |                |                 |         |
|----------------------------------|---------------------|----------------------------|-------------|------------------|----------------|-----------------|---------|
| QR Code Analysis Reports         |                     |                            |             |                  |                |                 |         |
| Total 13 Analyzed                |                     |                            |             |                  |                |                 |         |
| FILE NAME                        | SUBMITTED ON        | URL                        | URL VERDICT | PAYLOAD          | PAYLOAD STATUS | PAYLOAD VERDICT |         |
| qrcode.jpg                       | 2026-04-15 10:33:22 | http://vantageinstitute.ar | Malicious   | -                | -              | -               |         |
| qrparivahanpdf.png               | 2026-04-15 10:33:14 | https://parivahan.gov.in/s | Unknown     | -                | -              | -               |         |
| qrfw9.pdf                        | 2026-04-15 10:33:06 | https://www.irs.gov/pub/i  | Unknown     | Fw9.pdf          | Analyze        | Completed       | Clean   |
| qrflusamplepdf.jpg               | 2026-04-15 10:32:55 | https://hutchesonlab.fiu.e | Unknown     | Sample-pdf.pdf   | Analyze        | In Progress     | Unknown |
| qrexltst.pdf                     | 2026-04-15 10:32:45 | https://wiki.documentfou   | Clean       | Extlst-test.pptx | Analyze        | In Progress     | -       |
| qrdepurdue.jpg                   | 2026-04-15 10:32:34 | https://engineering.purdi  | Clean       | Example.txt      | Analyze        | In Progress     | Unknown |
| qrblankpdf.jpg                   | 2026-04-15 10:32:22 | https://mag.wcoomd.org/s   | Unknown     | Blank.pdf        | Analyze        | Completed       | Clean   |
| qrapastudentannotated.j          | 2026-04-15 10:32:10 | https://apastyle.apa.org/s | Unknown     | -                | -              | -               |         |

- Click **Analyze** to start analyzing the payload.  
A popup **Payload Detection in QR Code** appears.



**Note:** QR code payload analysis uses quota from **Preliminary Analysis/Detonation Analysis**.

- Click **Proceed**.

The system will download the payload from that URL and send it for analysis.

## Filtering QR Code Analysis Reports

You can filter the QR code analysis reports based on URL Verdict, Payload Status, Payload Verdict and Upload Period.

To filter the QR code analysis report list, follow these steps:


1. Log in to the Seqrite Malware Analysis Platform and click **QR Code** on left pane.
2. On the **QR Code** page, click .
3. Select the filter type and click **Apply**.  
The system displays filtered data.

## Settings

The settings allow admin users to manage, view the usage quota of users and activity log of all users conducted on Seqrite Malware Analysis Platform.

## Users

You, as an admin can add user, view user details, enable or disable the user, change user role, search user and download the users list as a CSV file.



| USERNAME           | FIRST NAME | LAST NAME | EMAIL                         | ROLE          |
|--------------------|------------|-----------|-------------------------------|---------------|
| Automation.user    | Automation | User      | Automation.user@quickheal.com | Org Analyst   |
| 1@quickheal.com    | Sandeep    | Misal     | 1@quickheal.com               | Org Admin     |
| F.I@quickheal.com  | Faizal     | Nafeez    | F.I@quickheal.com             | Seqrite Admin |
| F.I1@quickheal.com | Salim      | Subair    | F.I1@quickheal.com            | Org Admin     |
| F.I2@quickheal.com | Tanvi      | Chav      | F.I2@quickheal.com            | Seqrite Admin |

## Adding New User

Org Admin can add users through the Seqrite CSM console only.

To add a user from Seqrite CSM, follow these steps:

1. On the Seqrite CSM page, click Admin Users on the left pane.
2. Click **+ Add User**.
3. Enter the user details and click **Add**.

## Adding Bulk Users

To add bulk users, follow these steps:

1. On the Seqrite CSM page, click **Admin** Users on the left pane.
2. Click Import.  
The **Import User** page is displayed.
3. Click **Download**, to download the template for CSV file.  
A CSV template is downloaded.
4. Fill in the data in CSV file.
5. Click **Browse** to upload the CSV file and then click **Upload**.

## Editing a User

Org Admin can edit users from the Seqrite CSM console only.

To edit the existing user from Seqrite CSM, follow these steps:

1. On the Seqrite CSM page, click **Admin Users** on the left pane.
2. Click the **Edit** icon for the user that you want to edit.
3. Edit the user details and click **Save**.

## Deleting a User

Org Admin can delete users from the Seqrite CSM console only.

To edit the existing user from Seqrite CSM, follow these steps:

1. On the Seqrite CSM page, click **Admin Users** on the left pane.
2. Click the **Delete** icon for the user that you want to edit.

## User Details

You can view user details such as personal details and login information. Along with this, you can enable or disable the user and change the user role.

### Enable/Disable the User

To enable/disable the user, follow these steps:

1. Select the user and click **>(View)**.
2. In the **ACTION** section switch the key to enable or disable the user.


### Change the User Role

To change the user role, follow these steps:

1. Select the user and click **>(View)**.
2. In the **ACTION** section, select the role from the list and then click **Save**.

## License

This page is visible only to the admin user. On this page, admin can check the status of Seqrite Malware Analysis license. The license details page gives details such as, license type, quota usage, past quota usage, and company details.



## License Details

The license information includes the following details:

| Title                      | Description                                                                                                                             |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| License Expiry Date        | Displays the license expiry date of Seqrite Malware Analysis Platform.                                                                  |
| Status                     | Displays the status of the license that is, Active or Inactive.                                                                         |
| Preliminary Analysis Quota | Displays the allocated quota for the Preliminary Analysis stage.                                                                        |
| Detonation Quota           | Displays the allocated quota for the Detonation stage.                                                                                  |
| Manual Analysis Quota      | Displays the allocated quota for the Manual Analysis stage.                                                                             |
| Today's Quota Usage        | Displays the quota consumption for Preliminary Analysis, Detonation, and Manual Analysis for the day.                                   |
| Past Quota Usage           | Displays the details of quota usage that are, quota type, total allocation, quota used, quota remaining, and quota usage in percentage. |

## Audit Trail

This page gives the activity log of all the user activities that are conducted on the Seqrite Malware Analysis Platform such as User Log in / Log out, User Addition / Deletion, Role assignment or other operation activities such as file upload for analysis. You can download these logs into a CSV file and can filter and export the activity log with the help of a time filter.


| <div> <div>SEQRITE Malware Analysis Platform</div> <div> <input type="text" value="File Hash (MD5, SHA1, SHA256) OR ANY TEXT"/> <div>Submit Advanced +</div> </div> <div> <div>0</div> <div>?</div> <div>Debasish Mohapatra DM</div> </div> </div> |            |                     |                    |                 |                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------|--------------------|-----------------|--------------------|
| <div> <div>Audit Trail</div> <div> <input type="text" value="Search by event name"/> <div>Search</div> <div>1</div> <div>Export</div> </div> </div>                                                                                                |            |                     |                    |                 |                    |
| EVENT                                                                                                                                                                                                                                              | EVENT TYPE | TIMESTAMP           | ACTION BY          | AFFECTED ENTITY | REMARK             |
| user_login_success                                                                                                                                                                                                                                 | Login      | 2025-03-13 14:25:42 | Debasish mohapatra | NA              | Login successfully |
| user_login_success                                                                                                                                                                                                                                 | Login      | 2025-03-13 14:24:25 | Debasish mohapatra | NA              | Login successfully |
| user_login_success                                                                                                                                                                                                                                 | Login      | 2025-03-13 14:20:55 | Sandeep misal      | NA              | Login successfully |
| user_login_success                                                                                                                                                                                                                                 | Login      | 2025-03-13 14:13:51 | Debasish mohapatra | NA              | Login successfully |
| user_login_success                                                                                                                                                                                                                                 | Login      | 2025-03-13 13:50:19 | Debasish mohapatra | NA              | Login successfully |
| user_login_success                                                                                                                                                                                                                                 | Login      | 2025-03-13 13:50:16 | Faisal nafees      | NA              | Login successfully |

## Tenant Settings

In **Tenant Settings**, you can configure threat intel. To share intel with Seqrite Threat Intel (STI) from Seqrite Malware Analysis Platform, this integration is required.

To configure threat intel, follow these steps:

1. Go to **Settings** and click **Tenant Settings**.



2. Enter Seqrite Threat Intel portal URL in Base URL.
3. For API Key, copy API key from Seqrite Threat Intel and paste it, and then click **Submit**.

SEQRITE

Threat Intel

Dashboard

Indicators

Adversaries

Vulnerability Intelligence

Cyber Events

SMAP

Admin

Users

TAXII Details

TAXII Details

API Key

.....

Refresh

The LitBus Seed forums can be accessed using your active API key. During the ownership period, up to two users may remain active simultaneously.

TAXII URL's

| CATEGORY      | URL                                 |
|---------------|-------------------------------------|
| Discovery URL | https://test-stip.seqrte.com/taxii2 |

## Support

---

### Head Office Contact Details:

Quick Heal Technologies Limited

(Formerly known as Quick Heal Technologies Pvt. Ltd.)

Reg. Office: CTS No. 1442 to 1445 Thube Park, Shivaji Nagar, Pune – 411005.

Official Website: <http://www.seqrite.com>

Emails to: [support@seqrite.com](mailto:support@seqrite.com)

Contact No.:

- **1800-212-7377**  
Monday to Saturday 9:00 AM to 8:00 PM (IST)
- **+91 7066027377**  
Monday to Saturday 9:00 AM to 8:00 PM (IST)
- **+91 9168625686**  
Monday to Friday 8:00 PM to 9:00 AM (IST)